

Interference Search Notes

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((print\$4 near3 (select\$4 determin\$4)) with (user and client) with (identifier identity identification)).clm.	US-PGPUB	OR	ON	2006/09/14 09:54
L2	2016	((policy criteria (print\$4 near3 select\$4 determin\$4)) with server with client)).clm.	US-PGPUB	OR	ON	2006/09/14 09:58
L3	331	((policy criteria (print\$4 near3 (select\$4 determin\$4))) with server with client)).clm.	US-PGPUB	OR	ON	2006/09/14 09:58
L4	369	(710/6,15-19,38,40.ccls. or 709/225,226.ccls.) and (print\$4 near3 (select\$4 determin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:58
L5	336	L4 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:58
L6	3	3 and L5	US-PGPUB	OR	ON	2006/09/14 09:58
L7	2	((policy criteria) with (print near3 server) with (select\$4 determin\$5)).clm.	US-PGPUB	OR	ON	2006/09/14 09:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	87460	(print\$4 near3 (select\$4 determin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:37
L2	76257	L1 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:37
L3	170	L2 and (((user near3 defin\$4) (user?defin\$4) programmable) with (usag\$4 criteria policy select\$4) with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:37
L4	14	(print\$4 near3 (select\$4 determin\$4)) with (user and client) with (identifier identity identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:39
L5	193	(print\$4 near3 (select\$4 determin\$4)) same server with (download\$4 transfer\$4 send\$4) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:42
L6	155	L5 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:42
S1	4	"6003065".pn. or "20030182475".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 13:11
S2	355	(710/6,15-19,38,40.ccls. or 709/225,226.ccls.) and (print\$4 near3 (select\$4 determin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:22
S3	322	S2 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:38

EAST Search History

S4	12	S3 and (((user near3 defin\$4) (user?defin\$4) programmable) with (usag\$4 criteria policy select\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 13:48
S5	84259	(print\$4 near3 (select\$4 determin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 13:47
S6	75152	S5 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 13:48
S7	1829	S6 and (((user near3 defin\$4) (user?defin\$4) programmable) with (usag\$4 criteria policy select\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 13:48
S8	167	S6 and (((user near3 defin\$4) (user?defin\$4) programmable) with (usag\$4 criteria policy select\$4) with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 13:48
S9	12319	(print\$4 near3 (select\$4 determin\$4)) with (user client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 12:44
S10	632	(print\$4 near3 (select\$4 determin\$4)) with (user and client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 12:43
S11	532	S10 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 13:58
S12	387	(print\$4 near3 (select\$4 determin\$4)) with (user client) with (identifier identity identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 12:45
S13	11	(print\$4 near3 (select\$4 determin\$4)) with (user and client) with (identifier identity identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:23

EAST Search History

S14	275	(print near3 job) with (user near3 identi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:24
S15	8	(print near3 job) with (user near3 identi\$5) with (client near3 identi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:37
S16	44	(print\$4) with (user near3 identi\$5) with (client near3 identi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:38
S17	39	S16 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:38
S18	0	(print\$4 with (cancel\$4 and (additional near3 criteria)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:28
S19	0	(print\$4 and (cancel\$4 and (additional near3 criteria)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:28
S20	2	(print\$4 with (cancel\$4 and (additional near3 criteria)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:29
S21	1115	(print\$4 with (cancel\$4 and (additional)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:29
S22	166	(print\$4 with (cancel\$4 and (additional near3 information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:29
S23	145	S22 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:31

EAST Search History

S24	92	S9 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:31
S25	12319	(print\$4 near3 (select\$4 determin\$4)) with (user client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:33
S26	166	(print\$4 with (cancel\$4 and (additional near3 information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:33
S27	145	S26 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:33
S28	92	S25 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 14:33
S29	25482	(print\$4 near3 (select\$4 determin\$4)) and cost	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:22
S30	320	(print\$4 near3 (select\$4 determin\$4)) and (cost near3 basis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:23
S32	6	(print\$4 near3 (select\$4 determin\$4)) with (cost near3 basis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:23
S33	6	(print\$4 near3 (select\$4 determin\$4)) with (cost near3 basis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:36
S34	1115	(print\$4 near3 (select\$4 determin\$4)) with (cost price expense)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:37

EAST Search History

S35	1073	(print\$4 near3 (select\$4 determin\$4)) with (cost price)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:38
S36	208	(print\$4 near3 (select\$4 determin\$4)) with (based basis) with (cost price)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:38
S37	183	S36 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:38
S38	1477	(policy with server with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 13:56
S39	14967	((policy criteria (print\$4 near3 select\$4 determin\$4)) with server with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 13:57
S40	410	(print\$4 near3 (select\$4 determin\$4)) with server with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 13:58
S41	333	S40 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:54
S42	0	(print\$4 near3 (select\$4 determin\$4)) with (policy criteria) with server with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:42
S43	206	(print\$4 near3 (select\$4 determin\$4)) and (policy criteria) with server with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 13:59
S44	200	S43 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 13:59

EAST Search History

S45	819	(print\$4 near3 (select\$4 determin\$4)) same server with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:53
S46	183	(print\$4 near3 (select\$4 determin\$4)) same server with (download\$4 transfer\$4 send\$4) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:53
S47	150	S46 and (@ad<="20031112" or @rlad<="20031112")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:54
S48	2	"6967728".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 08:23